



Entrez PubMed Nucleotide Protein Genome Structure OMIM PMC Journals Books

Search PubMed for ztnf4 activity Go Clear
Limits Preview/Index History Clipboard Details

About Entrez

Display Abstract Show: 20 Sort Send to Text

Text Version

1: Nat Immunol. 2000 Jul;1(1):37-41.

Related Articles, Links

Entrez PubMed

Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

Comment in:

- Nat Immunol. 2000 Sep;1(3):179.



Identification of a receptor for BLyS demonstrates a crucial role in humoral immunity.

Yan M, Marsters SA, Grewal IS, Wang H, Ashkenazi A, Dixit VM.

Department of Molecular Oncology, Genentech, Inc., 1 DNA Way, South San Francisco, CA 94080, USA.

B lymphocyte stimulator (BLyS) is a member of the tumor necrosis factor (TNF) superfamily. BLyS stimulates proliferation of, and immunoglobulin production by, B cells. However, the relative importance of BLyS in physiological B cell activation is unclear. We identified a B cell receptor for BLyS through expression cloning as TACI, an orphan TNF receptor homologue of unknown function. Binding of BLyS to TACI activated signaling by nuclear factor-kappa B (NF-kappa B). In vitro soluble TACI-Fc fusion protein blocked BLyS-induced NF-kappa B activation in B lymphoma cells and IgM production in peripheral blood B cells. In vivo treatment of immunized mice with TACI-Fc inhibited production of antigen-specific IgM and IgG1 antibodies and abolished splenic germinal center (GC) formation. Thus, BLyS activity must play a critical role in the humoral immune response.

PMID: 10881172 [PubMed - indexed for MEDLINE]

Display Abstract Show: 20 Sort Send to Text

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Jul 27 2004 13:14:01